



Picture Window	8375T		-	FW-C-50													
Octagon			-	FW-C-50													
Full Round			-	FW-C-50													
1/2 Round			-	FW-C-50													
Full Awning	8420T	5030	-	AP-C-40	0.03	12	1	3	1	4	-	5	0	3	0	-	
Triple Awning	8430T 8440T		-	-													
Bottom / top Awning	8470T	5080	36	AP-C-40	0.03	12	1	3	2	6	16	5	0	8	0	36	
Full Casement		net 36 x 72	-	C-C-45	.05	9	1	5	1	5	-	3	0	6	0	-	
Full Casement	8520T 8530T 8540T 8570T	net 32 X 72	-	C-C-50	0.07	12	1	5	1	5	-	2	8	6	0	-	
Full Casement		net 35.5 X 60	-	C-C-60	0.08	12	1	5	1	5	-	3	0	5	0	-	
Single Casement			-														
Fixed Sash Casement PW		8060	-	LC-PG35	0.05	9.19	2	0	2	0	0	8	0	6	0		
Double Casement		6050	36	C-C-40	0.07	6	3	0	1	6	-	6	0	5	0	36	
Double Casement w/ center PW		12060	36	C-C-35	0.09	5.25	6	0	1	6		12	0	6	0	36	
SGD OX / XO	8621 8631	8080	-	SD-C-30	0.16	4.5	5	0	6	8	-	8	0	8	0	-	
SGD OX / XO		100610	-	SD-R-20	0.05	3	5	0	6	8	-	10	0	6	10	-	
SGD OXO		12080	-	SD-R-20	0.19	3.75	9	0	6	8	-	12	0	8	0	-	
SGD OOX / XOO		-	-	SD-R-20	0.23	4.5	9	0	6	8	-	11	8	8	0	-	
SGD OXXO		16080	-	SD-R-20	0.07	3	10	0	6	8	-	16	0	8	0	-	
SGD OX / XO	8621F 8631F	8080	-	SD-LC-25	0.17	3.75	5	0	6	8	-	8	0	8	0	-	
SGD OX / XO		60610	-	SD-LC-30	0.08	4.5	5	0	6	8	-	6	0	6	10	-	
SGD OXO		12080	-	SD-R-20	0.12	3	9	0	6	8	-	12	0	8	0	-	
SGD OOX / XOO		12080	-	SD-R-20	0.05	3	9	0	6	8	-	12	0	8	0	-	
SGD OXXO		16080	-	SD-R-15	0.11	3	10	0	6	8	-	16	0	8	0	-	
SGD Transom	8621TR	9050	-	TR-LC25	0.01	6.75	5	0	1	6	-	9	0	5	0	-	
SGD Canada	8622	10080	-	LC-PG25	0.1	5.25	5	0	6	8	-	10	0	8	0	-	
Inswing - XX	8642T 8662T	net 76 X 95.5	-	SHD-LC25	0.04	3.75	5	0	6	8	-	6	4	8	0	-	
Inswing - XO/OX		net 76 X 95.5		SHD-LC25	0.04	3.75	5	0	6	8		6	4	8	0		
Inswing - XXXX		10480		SHD-LC25	0.03	3.75	10	4	6	8		10	4	8	0		

Inswing -OXXO		10480	-	SHD-LC25	0.05	3.75	10	4	6	8	-	10	4	8	0	-
Inswing -X		-	-	-	-	-	2	6	8	0		3	0	8	0	
Inswing - Sidelite		net 24 x 80	-	R PG30	0.17	4.6						2	0	6	8	
Outswing - XX	8643T 8663T	net 76 X 95.5		SHD-LC35	0.07	5.25	5	0	6	8		6	4	8	0	
Outswing - XO/OX		net 76 X 95.5	-	SHD-LC35	0.01	6.75	5	0	6	8	-	6	4	8	0	-
Outswing - XXXX		10480		SHD-LC25	0.13	3.75	10	4	6	8		10	4	8	0	
Outswing - OXXO		10480	-	SHD-LC30	0.1	4.5	10	4	6	8	-	10	4	8	0	-
Outswing - X		-	-	-	-	-	2	6	8	0	-	3	0	8	0	-

\* The water test pressures are done in a controlled environment and performance in the field may vary. Therefore, AAMA requirements should be reduced to 2/3's of the test pressure for field testing.